

Spectrum of Ni V in the Vacuum Ultraviolet

J. Ward^{1,2} and G. Nave¹

¹National Institute of Standards and Technology, Gaithersburg MD

²University of Maryland, College Park MD

We will be presenting our recent assessment of Fe V and Ni V in the VUV. This presentation will demonstrate the major improvements that we made to the atomic data available for Ni V and that our work substantiates previous assessments of Fe V. Our work contains 97 remeasured Fe V wavelengths (1200 Å to 1600 Å) and 123 remeasured Ni V wavelengths (1200 Å to 1400 Å) with uncertainties of approximately 2 mÅ. An additional 67 remeasured Fe V wavelengths and 72 remeasured Ni V wavelengths with uncertainties greater than 2 mÅ are also included. These new measurements, conducted at the National Institute of Standards and Technology, reduce the uncertainties of Ni V wavelengths by roughly a factor of four in most cases. A systematic calibration error was also identified in the previous Ni V wavelengths (1100 Å to 1300 Å) and was corrected in our work. In addition to new wavelength data, we also conducted a radiometric calibration of our spectra to provide calibrated intensity values for our Ni V wavelengths. Additionally, a new energy level optimization, based on our new measurements of Ni V, is presented that includes Ni V level values as well as Ritz wavelengths.

Our work improves upon the available data used for observations of quadruply ionized nickel in white dwarf stars. In particular this compilation is targeted towards observations of the G191-B2B white dwarf spectrum that has been used to test for variations in the fine structure constant, α , in the presence of strong gravitational fields ^[1]. The laboratory wavelengths for these ions were thought to be the cause of inconsistent conclusions regarding the variation limit of α as observed through the white dwarf spectrum. These inconsistencies can now be addressed with our improved laboratory data.

References

[1] J. C. Berengut et al., Phys. Rev. Lett. **111**, 010801 (2013).